



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ :C07J 41/00, A61K 9/127, 31/575, C12N
15/63

A1

(11) International Publication Number:

WO 97/45442

(43) International Publication Date:

4 December 1997 (04.12.97)

(21) International Application Number: PCT/GB97/01426

(22) International Filing Date: 23 May 1997 (23.05.97)

(30) Priority Data:

9610944.2	24 May 1996 (24.05.96)	GB
9705498.5	17 March 1997 (17.03.97)	GB

(71) Applicant (for all designated States except US): IMPERIAL COLLEGE OF SCIENCE TECHNOLOGY AND MEDICINE [GB/GB]; Sherfield Building, Exhibition Road, London SW7 2AZ (GB).

(72) Inventors; and

(75) Inventors/Applicants (for US only): MILLER, Andrew, David [GB/GB]; Imperial College of Science Technology and Medicine, Dept. of Chemistry, Sherfield Building, Exhibition Road, London SW7 2AZ (GB). COOPER, Robert, Geoffrey [GB/GB]; Imperial College of Science Technology and Medicine, Dept. of Chemistry, Sherfield Building, Exhibition Road, London SW7 2AZ (GB). ETHERIDGE, Christopher, John [GB/GB]; Imperial College of Science Technology and Medicine, Dept. of Chemistry, Sherfield Building, Exhibition Road, London SW7 2AZ (GB).


(74) Agents: HARDING, Charles, Thomas et al.; D. Young & Co., 21 New Fetter Lane, London EC4A 1DA (GB).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published

With international search report.

(54) Title: POLYCATIONIC STEROL DERIVATIVES AS TRANSFECTION AGENTS



(57) Abstract

A compound capable of acting as a cationic lipid is described. The compound comprises a cholesterol group having linked thereto a head group; wherein the head group is more positive than the head group of DC-Chol.